



OUR PRODUCT COLLECTION



www.nayaragriparts.com

TOP LINK ASSEMBLIES

DESCRIPTION

Quality forged top links available in Category 0, 1, 1 & 2 combinations, 2 and 3. All top links are yellow zinc plated unless otherwise specified. The ends are clear zinc plated.



SPECIFICATION

Agriparts Part No.	Reference No.	Cat.	Ball ID (d1)	Thread (D)	Pipe Length	Closed Length (Min)	Open Length (Max)	Finish	Weight (lbs)
TL -001	TL197	0	5/8"	3/4" NC	9-1/2"	13"	18"	Plated	2.7
TL -002	TL19 9	0	5/8"	3/4" NC	7-5/8"	11"	16"	Plated	2.5
TL -003	TL1 630	1	3/4"	1-1/8" NC	13 -1/4"	17"	26"	Plated	7.4
TL -004	251163DS	1	3/4"	1-1/8" NC	16"	21"	31"	Blue	7.6
TL -005	TL165	1	3/4"	1-1/8" NC	16"	21"	31"	Plated	7.6
TL -006	TL166	1	3/4"	1-1/8" NC	20"	25"	35"	Plated	9.1
TL -007	TL167	1	3/4"	1-1/8" NC	24"	29"	39"	Plated	8.9
TL -008	9624607DS	1 & 2	3/4" & 1"	1-1/8" NC	16"	21"	32"	Blue	9.1
TL -009	TL1670	1 & 2	3/4" & 1"	1-1/8" NC	16"	21"	32"	Plated	9.1
TL -010	B505450	1 & 2	3/4" & 1"	1-1/8" NC	20"	25"	35"	Plated	10.1
TL -011	TL174	2	1"	1-1/8" NC	16"	21"	31"	Plated	10
TL -012	TL176	2	1"	1-1/8" NC	20"	25"	37"	Plated	10
TL -013	TL1730	2	1"	1-1/4" NC	15 -3/4"	20"	30"	Plated	10.7
TL -014	TL175	2	1"	1-1/4" NC	16"	23"	32"	Red	13.4
TL -015	TL1735	2	1"	1-1/4" NC	20"	27"	37"	Plated	12.6
TL -016	TL187	3	1-1/4"	1-3/8" NC	19 -1/2"	25-1/2"	37"	Black	20

MASSY FERGUSON TOP LINKS

DESCRIPTION

Material EN-8, Forged Eye bolt, Balls (Material C20, Hardened), Tube Powder Coated, Eye Bolts – Zinc Plated.



Agriparts Part No.	Reference No.	Cat	Ball ID	Ball Length	Thread	Pipe Length	Close Length (Min)	Open Length (Max)	Weight (lbs)
MF-001	S-584	1	19.05	44	1-1/16"NF	438	590	750	10.10
MF-002	S-585	1	19.05	44	1-1/16"NF	476	610	770	11.70
MF-003	S-586	1	19.05	44	1-1/16"NF	546	670	830	11.50
MF-004	S-587	2	25.40	51	1-1/16"NF	546	670	830	11.90
MF-005	S-588	1, 2	19.05, 25.40	44, 51	1-1/16"NF	546	670	830	12.00
MF-006	S-589	1, 2	19.05, 25.40	44, 51	1-1/16"NF	476	610	770	12.15
MF-007	S-16066	1, 2	25.40	51	1-1/16"NF	476	610	770	12.70
MF-008	S-16521	1, 2	19.05, 25.40	44, 51	1-1/16"NF	438	610	750	11.70
MF-009	S-16522	2	25.40	51	1-1/16"NF	438	610	750	9.00

FORD TOP LINKS

SPECIFICATION

Agriparts Part No.	Reference No.	Cat	Ball Length	Thread	Pipe Length	Close Length (Min)	Open Length (Max)	Weight (lbs)
FTL-001	S.11878	1	44	1-1/4"	425	622	794	13.50
FTL-002	S.3630	1/2	44	1-1/4"	425	622	794	13.75
FTL-003	S.3631	2/2	44	1-1/4"	425	622	794	13.90

Material EN-8, Forged eye bolt, Balls (Material C20, Hardened), Tube Powder Coated, Eye Bolts – Zinc /Golden Plated.



JD TOP LINKS

SPECIFICATION

Agriparts Part No.	Reference No.	Ball ID (d1)	Ball Length	Thread	Pipe Length	Closed Length (Min)	Open Length (Max)	Weight (lbs)
JD-001	S-4261	20, 25.50	44, 51	1-1/8" NC	320	550	760	12.00

Material EN-8, Forged eye bolt, Balls (Material C20, Hardened), Tube Powder Coated, Eye Bolts – Zinc /Golden Plated.



GUIDE CONE BALL (16MNCR5) HARDENED

CODE	A	B	C	LINCH PIN SIZE
GCB2244	22.1	44	53.5	11
GCB2256	22.1	56	66	11
GCB2856	28.4	56	66	11
GCB3756	37.1	56	66	11
GCB2864	28.4	64	66	11
GCB3764	37.1	64	72	15
GCB6734/11	37.1	64	72	11



GUIDE CONE BALL (BLACK LINE)

CODE	A	B	C	LINCH PIN SIZE
CB2856	28.4	56	66	11
CB2864	28.4	64	66	11
CB3764	37.1	64	72	15


CODE	A	B	C
CB01	28.4	45	24
CB02	37.1	45	24



TOP LINK ENDS

Agriparts Part No.	Reference No.	Cat	Ball ID (A)	Thread	Thread Length	Overall Length	Finish	Weight (lbs)
TLE-001	RE1934	0	5/8"	3/4" NC (RH)	3-1/2"	6"	Plated	0.8
TLE-002	RE1933	0	5/8"	3/4" NC (LH)	3-1/2"	6"	Plated	0.8
TLE-003	RE1619	1	3/4"	1-1/8 NC (LH)	6"	8-3/4"	Plated	2.4
TLE-004	RE1620	1	3/4"	1-1/8 NC (RH)	6"	8-3/4"	Plated	2.4
TLE-005	RE1717	2	1"	1-1/4 NC (LH)	5-1/2"	10"	Plated	3.0
TLE-006	RE1718	2	1"	1-1/4 NC (RH)	5-1/2"	10"	Plated	3.0
TLE-007	RE1640	2	1"	1-1/8 NC (RH)	6-1/2"	11"	Plated	3.0
TLE-008	RE1641	2	1"	1-1/8 NC (LH)	6-1/2"	11"	Plated	3.0
TLE-009	RE1826	3	1-1/4"	1-3/8 NC (RH)	7-1/4"	12-1/8"	Plated	8.0
TLE-010	RE1827	3	1-1/4"	1-3/8 NC (LH)	7-1/4"	12-1/8"	Plated	8
TLE-011	RE113	0	3/4"	1" NC (LH)	5-1/2"	8"	Plated	1.8
TLE-012	RE114	0	3/4"	1" NC (RH)	5-1/2"	8"	Plated	1.8


Forged screw-in repair ends for Category 0, 1, 2 & 3 top links.
Clear Zinc plated.



LIFT ARM BALL SOCKETS

Agriparts Part No.	Reference No.	Cat.	Pin Dia (A)	Ball Length (B)	Socket Width (C)	Socket O.D. (D)	Description	Weight (lbs)
LBS001	B2225	0	5/8"	1"	3/4"	2"	Standard duty, Black Oxide	0.6
LBS002	B221	1	7/8"	1-3/8"	7/8"	2-3/8"	Standard duty, Black Oxide	0.9
LBS003	B2215	2	1-1/8"	1-3/4"	1-3/8"	3-1/8"	Heavy duty, Black Oxide	1.9
LBS004	B2231	3	1-7/16"	1-3/4"	1-11/32"	3-1/2"	Standard duty, black oxide	2.4
LBS005	B222	2	1-1/8"	1-5/16"	15/16"	2-3/8"	Standard duty, plated	0.8
LBS006	B223	1	7/8"	1-3/8"	7/8"	2-3/8"	Standard duty, plated	0.9
LBS007	B224	2	1-1/8"	1-5/16"	15/16"	2-3/8"	Standard duty, plated	0.8
LBS008	B231	1 & 2	7/8" & 1-1/8"	1-3/4"	1-3/16"	2-3/4"	Heavy duty, Black Oxide	1.4
LBS009	B232	1 & 2	7/8" & 1-1/8"	1-3/4"	1-3/16"	2-3/4"	Heavy duty, plated	1.4
LBS010	B233	1 & 2	7/8" & 1-1/8"	1-3/4"	1-3/8"	3-1/8"	Heavy duty, Black Oxide	1.7
LBS011	B2211	2	1-1/8"	1-3/4"	1-1/4"	2-3/4"	Heavy duty, Plated	1.6
LBS012	B2216	2	1-1/8"	1-3/4"	1-3/8"	3-1/8"	Heavy duty, Plated	1.9
LBS013	B2232	3	1-1/8"	1-3/4"	1-11/32"	3-1/2"	Standard duty, Plated	2.4


Weld on lift arm ball sockets to fits Category 0 to 3 tractors. Available in Black Oxide, Trivalent & Yellow Zinc plated



TOP LINK BALL SOCKETS

Agriparts Part No.	Reference No.	Cat.	Pin Dia (A)	Ball Length (B)	Socket Width (C)	Socket O.D. (D)	Description	Weight (lbs)
TBS001	B213	1	3/4"	1-5/8"	3/4"	2"	Standard duty, Black Oxide	0.6
TBS002	B211	2	1"	1-3/4"	7/8"	2-3/8"	Standard duty, Black Oxide	0.8
TBS003	B2219	2	1"	1-3/4"	1-3/16"	2-3/4"	Heavy duty, Black Oxide	1.8
TBS004	B2229	3	1-1/4"	1-3/4"	1-9/32"	3-1/8"	Standard duty, black oxide	1.8
TBS005	B212	1	3/4"	1-5/8"	7/8"	2-1/8"	Heavy duty, Black Oxide	0.7
TBS006	B214	2	1"	1-3/4"	7/8"	2-3/8"	Standard duty, plated	0.8
TBS007	B215	1	3/4"	1-5/8"	7/8"	2-1/8"	Heavy duty, plated	0.7
TBS008	B216	1	3/4"	1-5/8"	3/4"	2"	Standard duty, plated	0.6
TBS009	B225	1	3/4"	1-3/8"	7/8"	2-3/8"	Heavy duty, Black Oxide	0.9
TBS010	B227	2	1"	1-1/4"	7/8"	2-3/8"	Standard duty, Black Oxide	0.8
TBS011	B228	2	1"	1-1/4"	7/8"	2-3/8"	Standard duty, Plated	0.8
TBS012	B235	1 & 2	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	Standard duty, Black Oxide	0.6

Weld on top link ball sockets to fits Category 0 to 3 tractors. Available in Black Oxide, Trivalent & Yellow Zinc plated.



LIFT ARMS ENDS & LEVELLING ASSEMBLY

Agriparts Part No.	Reference No.	Description	Weight (lbs)
LA335	LA335	Category 1 right or left hand forged lift arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, Massey -Ferguson 35, 50, Oliver 550 and Oliver 3 -point conversion, John Deere 1010 7/8" pin holes, 31 -3/4" ball center, 34-1/2 overall length	11.7
LA331	LA331	Replaced by LA335	11.7
LA3320	LA3320	Category 1 forged right hand lift arm repair end, 7/8" pin hole, 5-3/4" overall length	2.2
LA3321	LA3321	Category 1 forged left hand lift arm repair end, 7/8" pin hole, 53/4" overall length	2.2
LA3322	LA3322	Category 1 forged right or left hand straight lift arm repair end, 7/8" pin hole, 4" overall length	1.6
LA3323	LA3323	Category 1 forged bent lift arm repair end, 7/8" pin hole, 5-3/8" overall length	2.0
LA3324	LA3324	Category 2 forged bent lift arm repair end, 1-1/8" pin hole, 5-1/2" overall length	2.7
LA3325	LA3325	Category 2 forged right or left straight lift arm repair end, 7/8" pin hole, 5" overall length	2.8
LA3330	LA3330	Category 3 forged straight lift arm repair end, 1-7/16" pin hole, 5 -3/8" overall length	3.0
SL152	SL152	Category 1 lift arm leveling assembly, 18 -1/2" closed; 25" open length; 7/8" NF thread diameter; replaces Ford NCA577A; left hand repair end no. RE158; right hand repair end no. RE159	6.0



REPLACEMENT BALLS

Agriparts Part No.	Reference No.	Cat.	Description	Pin Hole (A)	Length (B)	Ball Dia (C)	Weight (lbs)
RBB241	B241	1	John Deere & Oliver Top Link Ball, replaces Deere F2680, Oliver 105968A	3/4"	1-3/4"	2"	0.9
RBB242	B242	2	John Deere & Oliver Top Link Ball, replaces Deere F2681, Oliver 104585A	1"	1-3/4"	2"	0.8
RBB243	B243	1	Ford lift arm ball; replaces Ford DDN995233; fits Ford 3000 & 4000	7/8"	1-3/8"	2-1/4"	1.1
RBB244	B244	2	Ford lift arm ball; replaces Ford C5NN557A; fits Ford 5000	1-1/8"	1-3/4"	2-1/4"	1.1
RBB245	B245	1	Oliver lift arm ball; replaces Oliver 105967A; fits models with clawtype lift arm	7/8"	1-3/8"	2"	0.7
RBB246	B246	2	Oliver lift arm ball; replaces Oliver 104591A; fits all models with clawtype lift arm	1-1/8"	1-3/4"	2"	0.8
RBB247	B247	2	Ford lift arm ball; narrow width; replaces C5NN557B	1-1/8"	1-3/4"	2-1/4"	0.9
RBB248	B248	1	John Deere Leveling Arm Ball	3/4"	1-3/8"	1-13/16"	0.6

Top Link and Lift Arm Balls for Ford, John Deere, Oliver and other tractors. Designed to replace original balls. Yellow Zinc Dichromate Plating.



RATCHET JACK

AGRIPARTS PART NO.	DESCRIPTION
RJ001	Ratchet Jack is a kind of mechanical device, which is widely used in various industries for moving, lifting and bracing different kinds of loads. Acknowledged for their light weight, longer life and excellent load bearing capacity, these jacks are highly demanded among our clients.




RATCHET JACKS

Part No.	Description	Thread Dia	Clevis Pin Dia	Adjustment
LARJ 201	Jack I	1-1/4"	1"	20"-28"
Part No.	Description	Pin Dia	Usable	Overall
LARJ 202	Pin Kit	1"	2-3/4"	3-1/2"
LARJ 203	Clip	1/8"	0	2-1/2"

KUBOTA KIT

AGRIPARTS PART NO.	DESCRIPTION
KUK001	These Kubota Kits are manufactured using high grade metal alloy under the guidance skilled professionals to ensure optimum durability. In order to meet the varied needs of the clients, we offer these kits in several specifications.




WELD ON ENDS


Agriparts Part No.	Reference No.	Cat.	Description	Dim A	Dia ØB	Dia ØC	Dim ØD	Dim ØE	Dim ØF	Weight (lbs)
W0001	RE1642	1	Top Link End	2"	3/4"	1-1/8"	2-1/4"	1/2"	1-3/4"	0.9
W0002	RE1643	2	Top Link End	2-3/8"	1"	1-1/8"	2-5/8"	1/2"	2"	1.4
W0003	LA3322	1	Lift Arm End-Straight	2-3/4"	7/8"	2-3/8"	2-5/8"	5/8"	1-3/8"	1.7
W0004	LA3325	2	Lift Arm End-Straight	3-1/8"	1-1/8"	2-3/4"	3-1/8"	3/4"	1-3/4"	2.8
W0005	LA3323	1	Lift Arm End Bent	4"	7/8"	1-7/8"	2-5/8"	5/8"	1-3/8"	2.0
W0006	LA3324	2	Lift Arm End-Bent	4"	1-1/8"	1-7/8"	3-1/8"	5/8"	1-3/4"	2.7
W0007	LA3330	3	Lift ArmEnd-Straight	3-3/8"	1-7/16"	3"	3-1/2"	3/4"	1-3/4"	3.0
W0008	LA3320	1	Lift Arm Repair End RH	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/8"	2.0
W0009	LA3321	1	Lift Arm Repair End-LH	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/8"	2.0




TOP LINK END



LIFT ARM END (STRAIGHT)



LIFT ARM END (BEND)



LOWER LINK

Agriparts Part No.	Length (mm)	Width (mm)	Thickness (mm)	Ball Category	No. of Holes
LL001	810	63	13	1	3
LL002	810	63	16	1	4
LL003	810	63	16	1	4
LL004	820	75	14	2	2
LL005	840	63	16	1	3
LL006	870	89	18	2	3
LL007	880	89	18	2	2
LL008	890	89	18	2	4
LL009	930	100	20	2	4
LL010	970	89	18	2	6
LL011	970	100	20	2	5



LIFT ARM PINS (ADJUSTABLE & FORGED)


Agriparts Part No.	Reference No.	Cat.	Description	Pin Dia	Usable Length	Overall Length	Thread Length	Thread Dia	Weight (lbs)
LAP101	P7220	0	Adjustable	5/8"	Adjustable	3-7/8"	2"	5/8" NF	0.4
LAP102	P7228	0	Forged, Universal	5/8"	1-7/16"	3-7/8"	1-1/8"	5/8" NF	0.4
LAP103	P7221	0 to 1	Adjustable	7/8"	1-3/4"	4-1/2"	1-1/8"	5/8" NF	0.6
LAP104	P7224	1 to 0	Adjustable	5/8"	2"	5"	2"	7/8" NF	0.6
LAP105	P722	1	Adjustable	7/8"	Adjustable	5"	2-1/4"	7/8" NF	1.1
LAP106	P728	1	Forged	7/8"	1-3/4"	5-1/2"	2-5/8"	7/8" NF	1.1
LAP107	P7219	1	Adjustable, extra long	7/8"	Adjustable	6-1/4"	1-5/8"	7/8" NF	1.3
LAP108	P7245	1	Forged, extra long	7/8"	2-1/4"	6-1/2"	3-1/2"	7/8" NF	1.3
LAP109	P7244	1	Forged	7/8"	2-3/4"	5-1/8"	2-1/4"	5/8" NF	0.9
LAP110	P7247	1	Forged	7/8"	2"	5"	1-3/8"	5/8" NF	0.9
LAP111	P7248	1	Forged	7/8"	1-3/4"	4-1/2"	1-1/2"	5/8" NF	0.8
LAP112	P7246	1 to 2	Forged	1-1/8"	2-1/4"	6-5/16"	5/8"	7/8" NF	1.5
LAP113	P724	1 to 2	Adjustable	1-1/8"	Adjustable	5-1/4"	2-1/4"	7/8" NF	1.4
LAP114	P7240	1 to 2	Forged	1-1/8"	1-13/16"	5-1/4"	2-7/16"	7/8" NF	1.5
LAP115	P7249	1 & 2	Forged	1-1/8" & 7/8"	2-1/16" both	8"	1-5/8"	1" NF	1.9
LAP116	P721	2	Adjustable	1-1/8"	Adjustable	6-1/8"	1-1/4"	1-1/8" NF	2.3
LAP117	P729	2	Adjustable, extra long	1-1/8"	Adjustable	7-1/2"	3-3/8"	1-1/8" NF	2.6
LAP118	P7212	2	Forged	1-1/8"	1-3/4"	6-1/8"	4-1/2"	1-1/8" NF	2.3
LAP119	P726	2 to 1	Forged	7/8"	1-3/4"	5-3/4"	2-3/8"	1-1/8" NF	1.8
LAP1 20	P7211	2 to 3	Adjustable	1-7/16"	Adjustable	6-1/2"	2-3/8"	1-1/8" NF	2.9
LAP1 21	P7243	2 to 3	Forged	1-7/16"	1-7/8"	5-3/4"	3-3/8"	1-1/8" NF	3.0
LAP1 22	P7229	3	Forged	1-7/16"	2"	5-7/8"	1-1/2"	1-3/8" NF	3.5

Forged and adjustable category 0 through 3 draw pins for a variety of applications.
All pins are yellow zinc dichromate plated.



TOP LINK PINS

Agriparts Part No.	Reference No.	Cat	Ball ID (A)	Thread	Thread Length	Weight (lbs)
TLP301	P776	0	5/8"	3"	4-7/16"	0.4
TLP302	P771	1	3/4"	2-3/4"	4-1/2"	0.5
TLP303		1	3/4"	3"	5-1/4"	0.5
TLP304	P772	1	3/4"	3-7/8"	5-1/2"	0.6
TLP305	P773	1	3/4"	4-5/8"	6-3/8"	0.8
TLP306	P7715	1	3/4"	4-3/4"	6-3/8"	0.8
TLP307	P7716	2	1"	3-9/16"	5-1/4"	1.2
TLP308	P7719	2	1"	3"	4-3/4"	1.1
TLP309	P774	2	1"	4-3/8"	6"	1.3
TLP310	P7720	2	1"	5-3/8"	7-1/16"	1.5
TLP311	P7711	3	1-1/4"	4-5/8"	6-1/2"	2.1



STABILIZER PINS

Agriparts Part No.	Reference No.	Pin Dia	Usable Length	Overall Length	Thread Length	Weight (lbs)
SP201	P781	7/8"	3/8"	2-5/8"	5/8" NF	0.39
SP202	P785	7/8"	1-1/4"	3-1/8"	5/8" NF	0.40
SP203	P787	7/8"	1/2"	2-5/8"	5/8" NF	0.30
SP204	P788	7/8"	11/16"	3-1/8"	3/4" NF	0.40
SP205	P711	7/8"	1/2"	3-1/4"	7/8" NF	0.80



GREASE NIPPLE

CODE	SIZE	TYPE
GF001	M6X1	STRAIGHT
GF002	M8X1	STRAIGHT
GF003	M10X1	STRAIGHT
GF004	M6X1	45°
GF005	M8X1	45°
GF006	M10X1	45°
GF007	M6X1	90°
GF008	M8X1	90°
GF009	M10X1	90°




CLEVIS TYPE DRAW PINS

Agriparts No.	Reference No.	Cat	Description	Pin Dia	Usable Length	Overall Length	Weight (lbs)
CTDP001	P7234	1	Roll Pin	7/8"	4-1/2"	6"	0.9
CTDP002	P7235	2	Roll Pin	1-1/8"	3-5/16"	4-3/4"	1.2
CTDP003	P7236	2	Roll Pin	1-1/8"	4-3/4"	6-1/2"	1.7
CTDP004	P7237	2	Roll Pin	1-1/8"	5-3/8"	7"	1.9
CTDP005	P7238	2	Roll Pin	1-1/8"	7-3/8"	9"	2.4
CTDP006	P7239	2	Roll Pin	1-1/8"	9"	10-3/4"	2.9
CTDP007	P7230	3	Head	1-7/16"	4-11/16"	6"	2.8
CTDP007	P7710	3	Roll Pin	1-7/16"	3-3/8"	5-3/8"	2.3
CTDP007	P7231	3	Roll Pin	1-7/16"	6-1/4"	8-1/2"	3.8
CTDP007	P7250	2 & 3	Head	1-1/8" & 1-7/16"	3-5/8" & 4-1/4"	9-1/4"	3.4



TOP LINK PINS WITH HANDLE (WITH CHAIN & WITHOUT CHAIN)

CODE	CODE			
W/L.PIN CHAIN	W/O L. PIN CHAIN	A	B	C
TLH25117	PATLH25117N	25	117	12
TLH32175	PATLH32175N	32	175	12
TLHP37135	PATLH37135N	37	135	12
TLHP37175	PATLH37175N	37	175	12
TLH50189	PPATL50189N	50.8	189	13.5



CLEVIS HITCH PINS

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Total Length	Weight (lbs)
CLPP001	P7100	1/2"	5"	6-3/8"	0.4
CLPP002	P7101	5/8"	5"	6-3/8"	0.6
CLPP003	P7102	3/4"	5"	6-3/8"	0.8
CLPP004	P7103	7/8"	5"	6-3/8"	1.0
CLPP005	P7104	1"	5"	6-3/8"	1.4
CLPP006	P7105	1-1/8"	5"	6-3/8"	1.7

An economy hitch pin (clevis pin) for numerous applications, yellow zinc dichromate plated.



CLEVIS PINS

Clevis Pins available in all sizes from 3/16" (4mm) thickness to 1/2" (12mm) thickness and lengths up to 4". Also available in Stainless Steel Material.



UNIVERSAL CLEVIS PINS


This carbon steel clevis pin has holes that allow the adjustment of the effective length. Holes are 1/4" on center. The number of holes increases with pin length. Stocked in diameters from 3/16" to 1/2" and lengths from 1" to 4". Assortments available.



DETENT PIN (BRACKET SIZE IN INCHES)

CODE	A	B	C
DP202	4.76 (3/16")	25.40 (1")	22.35 (0.88")
DP 204	4.76 (3/16")	38.10 (1-1/2")	22.35 (0.88")
DP 206	4.76 (3/16")	50.80 (2")	22.35 (0.88")
DP 212	6.35 (1/4")	25.40 (1")	25.40 (1")
DP 214	6.35 (1/4")	38.10 (1-1/2")	25.40 (1")
DP 216	6.35 (1/4")	50.80 (2")	25.40 (1")
DP 218	6.35 (1/4")	63.50 (2-1/2")	25.40 (1")
DP 220	6.35 (1/4")	76.20 (3")	25.40 (1")
DP 227	7.94 (5/16")	25.40 (1")	25.40 (1")
DP 229	7.94 (5/16")	38.10 (1-1/2")	25.40 (1")
DP 231	7.94 (5/16")	50.80 (2")	25.40 (1")
DP 233	7.94 (5/16")	63.50 (2-1/2")	25.40 (1")
DP 234	7.94 (5/16")	76.20 (3")	25.40 (1")
DP 248	9.52 (3/8")	38.10 (1-1/2")	25.40 (1")
DP 250	9.52 (3/8")	50.80 (2")	25.40 (1")
DP 253	9.52 (3/8")	76.20 (3")	25.40 (1")

This special Pin is self-locking and reusable. It needs no cotter pin because of its locking ball mechanism. The mechanism as shown below can be inserted at various depths for extra versatility. Variations in the pin removable force are available according to customer specifications. Stocked in zinc plated and stainless steel. Diameters from 3/16" to 1/2" and lengths from 1" to 4". Assortments available.



FOLDOVER HITCH PIN WITH LINCH PIN & CHAIN

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Overall Length	Weight (lbs)
HPCL001	P71011CL	1/2"	4-1/4"	5-3/4"	0.5
HPCL002	P71012CL	1/2"	6-1/4"	7-3/4"	0.6
HPCL003	P71021CL	5/8"	4-1/4"	5-3/4"	0.7
HPCL004	P71022CL	5/8"	6-1/4"	7-3/4"	0.9
HPCL005	P71031CL	3/4"	4-1/4"	5-3/4"	1.0
HPCL006	P71032CL	3/4"	6-1/4"	7-3/4"	1.2
HPCL007	P71042CL	7/8"	6-1/4"	7-3/4"	1.6
HPCL008	P71052CL	1"	6-1/4"	7-3/4"	2.0
HPCL009	P71062CL	1-1/8"	6-1/4"	7-3/4"	2.5
HPCL010	P71072CL	1-1/4"	6-1/4"	7-3/4"	3.0

Forged head hitch pin with handle and zinc plated 1/4" linch pin with chain. Yellow zinc dichromate plated.



FOLDOVER HITCH PIN WITH R CLIP

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Overall Length	Weight (lbs)
HPC001	P71010C	3/8"	4-1/4"	4-3/4"	0.2
HPC00 2	P71011C	1/2"	4-1/4"	5-3/4"	0.4
HPC 003	P71012C	1/2"	6-1/4"	7-3/4"	0.5
HPC00 4	P71021C	5/8"	4-1/4"	5-3/4"	0.6
HPC00 5	P71022C	5/8"	6-1/4"	7-3/4"	0.8
HPC00 6	P71031C	3/4"	4-1/4"	5-3/4"	0.9
HPC00 7	P71032C	3/4"	6-1/4"	7-3/4"	1.1
HPC00 8	P71041C	7/8"	4-1/4"	5-3/4"	1.2
HPC00 9	P71042C	7/8"	6-1/4"	7-3/4"	1.4
HPC0 10	P71051C	1"	4-1/4"	5-3/4"	1.5
HPC0 11	P71052C	1"	6-1/4"	7-3/4"	1.9
HPC 012	P71062C	1-1/8"	6-1/4"	7-3/4"	2.4
HPC0 13	P71072C	1-1/4"	6-1/4"	7-3/4"	2.9

Forged head hitch pin with handle and zinc plated "R" clip pin. Yellow zinc dichromate plated. Also available in Round Shape and Square Shape Handle.



RED HANDLE HITCH PIN WITH R CLIP

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Overall Length	Weight (lbs)
HPR101	P700511	1/2"	3-5/8"	6-5/8"	0.7
HPR102	P700521	5/8"	4"	7"	0.9
HPR103	P700522	5/8"	5-3/4"	9"	1.1
HPR104	P700531	3/4"	4"	7"	1.1
HPR105	P700532	3/4"	6-1/2"	9-1/2"	1.5
HPR106	P700541	7/8"	4-1/4"	7-1/4"	1.4
HPR107	P700542	7/8"	6-1/2"	9-1/2"	1.9
HPR108	P700551	1"	4-3/4"	7-3/4"	1.9
HPR109	P700552	1"	7-1/2"	10"	2.6
HPR110	P700562	1-1/8"	8-1/2"	11-1/2"	3.3
HPR11 1	P700572	1-1/4"	8-1/2"	11-1/2"	4.1
HPR11 2	P700582	1-1/2"	8-1/2"	11-1/2"	5.0
HPR11 3	P700583	1-1/2"	13"	13-5/8"	7.7

Designed for today's demanding applications, these one-piece, Grade 5 performance, forged hitch pins are made from high-strength steel and heat treated. Pin has black powder coating with a red vinyl coated head and handle. Zinc plated "R" clip pin included.



BLUE HANDLE HITCH PIN WITH R CLIP

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Overall Length	Weight (lbs)
HPB201	P700811	1/2"	3-5/8"	6-5/8"	0.7
HPB202	P700821	5/8"	4"	7"	0.9
HPB203	P700822	5/8"	6"	9"	1.0
HPB204	P700831	3/4"	4"	7"	1.2
HPB205	P700832	3/4"	6-1/2"	9-1/2"	1.2
HPB206	P700841	7/8"	4-1/4"	7-1/4"	1.4
HPB207	P700842	7/8"	6-1/2"	9-1/2"	1.9
HPB208	P700851	1"	4-3/4"	7-3/4"	1.9
HPB209	P700852	1"	7-1/2"	10"	2.4
HPB210	P700862	1-1/8"	7"	10"	3.0
HPB211	P700872	1-1/4"	7"	10"	3.0
HPB212	P700882	1-1/2"	8-1/2"	11 -1/2"	5.8

Heat treated, GRADE 8 performance hitch pin made from alloy steel is designed for the toughest applications. Pin has black powder coating with Blue Vinyl coated head and handle



DOUBLE LOCK HITCH PIN

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Weight (lbs)
DLHP001	P700421	5/8"	4-1/2"	2.0
DLHP002	P700431	3/4"	4-1/2"	2.3
DLHP003	P700432	3/4"	6"	2.6
DLHP004	P700441	7/8"	4-1/2"	2.6
DLHP005	P700442	7/8"	6"	2.9
DLHP006	P700452	1"	6"	3.3
DLHP001	P700462	1-1/8"	7"	4.1
DLHP001	P700472	1-1/4"	7"	4.6
DLHP001	P700492	1-1/2"	8"	5.7

Grade 5 performance hitch pins are designed with a quick release handle to allow easy removal with double lock mechanism ensuring the pin with remain in place. The pin and handle are powder coated with zinc plated locks.



GREY HANDLE HITCH PIN WITH R CLIP

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Overall Length	Weight (lbs)
HPG 301	HD9613574DS	1/2"	3-5/8"	6-5/8"	0.7
HPG302	HD9613575DS	5/8"	4"	7"	0.9
HPG303	HD9613579DS	5/8"	5-3/4"	9"	1.0
HPG304	HD9613576DS	3/4"	4"	7"	1.2
HPG305	HD9613580DS	3/4"	6-1/2"	9-1/2"	1.2
HPG306	HD9613577DS	7/8"	4-1/4"	7-1/4"	1.4
HPG307	HD9613581DS	7/8"	6-1/2"	9-1/2"	1.9
HPG308	HD9613578DS	1"	4-3/4"	7-3/4"	1.9
HPG309	HD9613582DS	1"	7-1/2"	10"	2.4
HPG310	HD9613583DS	1-1/8"	7"	10"	3.0

Our premium, heat treated, GRADE 8 performance hitch pin made from alloy steel is designed for the toughest applications. Pin has black powder coating with Gray vinyl coated head and handle.



BENT PIN BLACK POWDER COATED

CODE	Pin Dia	Length
BPB001	1/2"	2.50"
BPB002	5/8"	3"



BENT PIN WITH GRIP PVC

CODE	Pin Dia	Length
BPG001	1/2"	2.50"
BPG002	5/8"	3"



BENT PIN WITH GROOVE

CODE	Pin Dia	Length
BPG001	1/2"	2.50"
BPG002		2.50"



ANTI THEFT RECEIVER PIN

CODE	Pin Dia	Length
TR001	1/2"	2.50"
TR002	5/8"	3"



R CLIP PINS

Available in the most popular sizes for farm and other applications. Yellow zinc dichromate plated spring wire.

Agriparts Part No.	Reference No.	Wire Dia (A)	Total Length	Fits Pin Dia	Weight (lbs)
RCP001	P7922	1/16"	1-9/16"	3/8" to 1/2"	0.01
RCP002	P7923	3/32"	1-5/8"	1/4" to 1/2"	0.01
RCP003	P7924	1/8"	1-15/16"	1/2" to 3/4"	0.02
RCP004	P7925	5/32"	2-15/16"	5/8" to 1"	0.04
RCP005	P7927	3/16"	3-3/4"	7/8" to 1-1/4"	0.08
RCP006	P7928	1/4"	4"	3/4" to 1"	0.10
RCP007	P7929	5/16"	5-15/16"	1" to 1-7/16"	0.30
RCP001	P7956	5/16"	4-1/8"	1" to 1-7/16"	0.20



BENT HITCH PIN WITH CLIP


These pins have numerous farm, lawn & garden and industrial applications. Complete with zinc plated R pin. (Also available in Stainless Steel and Multi Holes)

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	Weight (lbs)
BHP401	P71118	3/8"	3"	0.18
BHP402	P71120	1/2"	2-1/2"	0.30
BHP403	P71111	1/2"	3"	0.34
BHP404	P71122	1/2"	4"	0.40
BHP405	P71123	1/2"	5"	0.46
BHP406	P71112	5/8"	3"	0.50
BHP407	P711 26	5/8"	4"	0.64
BHP408	P7112 7	5/8"	5"	0.76
BHP409	P7112 9	3/4"	4-1/2"	1.02
BHP410	P71114	5/16"	2-1/2"	0.10
BHP411	P71115	5/16"	3"	0.12
BHP412	P71117	3/8"	2-1/2"	0.14
BHP413	P71113	3/4"	3-1/2"	0.80
BHP414	P71130	3/4"	5"	1.06




CLIP PIN

CODE	A	B	C
CP 315 A	3X1 5	38	17
CP 525	5X2.5	56	27




HAIR PIN DOUBLE (LONG LEG)

CODE	A	B	C	D
R-HPD5200	5	200	223	25~32




HAIR PIN (DOUBLE)

CODE	A	B	C	D
HPD2065	2	65	9	10~12
HPD3071	3	71	15	12~16
HPD4077	4	77	18	16~30
HPD4093	4	93	22	17~24



HAIR PIN (DOUBLE)


CODE	A	B	C	D
HPD22554	2.25	54	2	9~11
HPD28061	2.80	61	0	11~14
HPD36078	3.60	78	2	14~20
HPD45097	4.50	97	0	20~26
HPD560115	5.60	115	2	26~34
HPD630146	6.30	14	0	34~45
HPD700169	7.00	6	2	45~56



WIRE LOCK PIN

These pins have numerous farm, lawn & garden and industrial applications. In the shape of Round and Square. Complete with zinc plated R pin.

Agriparts Part No.	Reference No.	Pin Dia (A)	Usable Length (B)	TYPE / SHAPE	Weight (lbs)
PLP001	P7938	1/4"	1-3/4"	ROUND	0.06
PLP002	P7939	5/16"	2-1/4"	SQUARE	0.10
PLP003	P7940	5/16"	2-1/4"	ROUND	0.10
PLP004	P7941	3/8"	2-1/4"	ROUND	0.14
PLP005	P7950	1/4"	1-3/8"	ROUND	0.06
PLP006	P7951	1/4"	2-1/2"	ROUND	0.08
PLP007	P7952	1/4"	2-1/4"	SQUARE	0.08
PLP008	P7953	1/4"	2-1/2"	SQUARE	0.08
PLP009	P7954	5/16"	1-3/8"	ROUND	0.08
PLP010	P7955	5/16"	1-3/4"	ROUND	0.08
PLP011	P7956	5/16"	2-1/2"	ROUND	0.10
PLP012	P7957	5/16"	2-1/2"	SQUARE	0.10
PLP013	P7958	5/16"	3-1/2"	SQUARE	0.14
PLP014	P7959	5/16"	3-15/16"	SQUARE	0.14
PLP015	P7960	3/8"	1-1/2"	ROUND	0.11
PLP016	P7961	3/8"	1-3/4"	ROUND	0.12
PLP017	P7963	3/8"	2-1/2"	ROUND	0.14
PLP018	P7964	3/8"	2-1/4"	SQUARE	0.14
PLP019	P7965	3/8"	2-1/2"	SQUARE	0.16
PLP020	P7966	3/8"	3"	SQUARE	0.16
PLP021	P7967	3/8"	3-7/16"	SQUARE	0.18




HITCH PINS SAFETY LOCK

Agriparts Part No.	Pin Dia	Usable Length	Wire Dia	Weight (lbs)
SLP001	1/2"	4"	3/16"	0.5
PLP002	5/8"	4"	3/16"	0.7
PLP003	3/4"	4"	3/16"	1.0
PLP004	3/4"	6"	3/16"	1.2
PLP005	7/8"	6"	3/16"	1.5
PLP006	1"	6"	3/16"	1.9



SPLIT PIN

CODE	A	B
CP 1620	1.6	20
CP 2020	2.0	20
CP 2025	2.0	25
CP 6370	6.3	70
CP 6380	6.3	80
CP 63100	6.3	100
CP 7050	7.0	50
CP 060	7.0	60
CP 7070	7.0	70
CP 7080	7.0	80
CP 8040	8.0	40
CP 8050	8.0	50
CP 8063	8.0	63
CP 8071	8.0	71
CP 8080	8.0	100
CP 8090	8.0	80
CP 80100	8.0	90
CP 80125	8.0	125
CP 10050	10.0	
CP 10063	10.0	63
CP 10080	10.0	80
CP 100100	10.0	100
CP 100125	10.0	125
CP 130125	13.0	125
CP 130140	13.0	140



TAB LOCK PTO PINS

Agriparts Part No.	Pin Dia	Usable Length	Pin Length	Weight (lbs)
TLPP001	1/4"	1 -5/8"	2 -1/8"	0.08
TLPP002	1/4"	2"	2 -3/16"	0.08
TLPP003	1/4"	2 -3/4"	3 -1/8"	0.11
TLPP004	5/16"	1 -5/8"	2 -1/8"	0.10
TLPP005	5/16"	2"	2 -3/16"	0.11
TLPP006	5/16"	2 -3/4"	3 -1/8"	0.11
TLPP007	3/8"	1 -5/8"	2 -1/2"	0.14
TLPP008	3/8"	2 -1/2"	2 -11/16"	0.16
TLPP009	3/8"	2 -3/4"	3 -1/8"	0.16



INDUSTRIAL SAFETY PINS

Agriparts Part No.	Wire Dia	Usable Length	Inner gap	Weight (lbs)
ISP001	1/8"	3-1/8"	1 -1/16"	
ISP002	3/16"	3-3/8"	1 -1/2"	
ISP003	1/4"	5-1/4"	1 -3/4"	
ISP004	3/64"	15/16"	3/8"	
ISP005	3/64"	1 -9/32"	1/4"	
ISP006	3/32"	1 -11/16"	5/8"	
ISP007	1/8"	2-13/16"	13/16"	
ISP008	3/16"	3"	1 -1/2"	
ISP009	5/32"	3-3/4"	1 -1/8"	
ISP010	15/64"	5"	1 -5/8"	
ISP009	15/64"	5"	2-1/4"	




LYNCH PINS

Agriparts Part No.	Reference No.	Description	Pin Dia (A)	Usable Length	Weight (lbs)
LP001	P7919	Standard	3/16"	1"	0.03
LP002	P7920	P7919 (3/16") with chain	3/16"	1"	0.05
LP003	P791	Standard	7/16"	1 -1/4"	0.10
LP004	P791	P791 (7/16") with chain	7/16"	1 -1/4"	0.20
LP005	P794	Standard	1/4"	1 -1/4"	0.07
LP006	P795	Short Shank	7/16"	1 -1/4"	0.09
LP007	P7913	Heavy Duty	7/16"	1 -1/2"	0.13
LP008	P7914	Heavy Duty with chain	7/16"	1 -1/2"	0.18
LP009	P7915	Standard	5/16"	1 -1/4"	0.10
LP010	P7916	Standard	3/8"	1 -1/4"	0.10
LP011	P798	Long, fits category 1,2 & 3 pins	7/16"	1 -3/4"	0.14
LP012	P798E	Long Shank	7/16"	1 -1/4"	0.12




LYNCH PIN DIN 11023

CODE	A	B	C	D	E
LPD 4532	4.5	32	25	31.00	2.50
LPD 5542	5.5	42	32	44.80	3.60
LPD 7542	7.5	42	32	44.80	3.60
LPD 9545	9.5	45	32	44.80	3.60
LPD 1145	11	45	32	44.80	3.60
LPD 1155	11	55	45	52.00	4.00
LPD 1660	16	60	45	52.00	4.00




LYNCH PIN PEAR TYPE

CODE	A	B	C	D	E
LPPS 6045	6	36	45	54	3.2
LPPS 8045	8	36	45	54	3.2
LPPS 1045	10	36	45	56	3.2
LPPS 1145	11	36	45	56	3.2




BUTTERFLY LYNCH PIN

CODE	DIA	TYPE
BFLP 11	11	A



SQUARE HEAD LYNCH PIN WITH CHAIN FOR PIPE


CODE WITH CHAIN	CODE WITHOUT CHAIN	A	B	C	D
LP1248	PA-LP1248N	12	48	54	3.2
LP1448	PA-LP1448N	14	48	54	3.2
LP1650	PA-LP1650N	16	50	56	3.2
SLP1960	PA-LP1960N	19	60	56	3.2



FORGED LINCH PIN WITH CHAIN & WITHOUT CHAIN


(HEAT TREATED 18~22 H.R.C.)

CODE	CODE	A	B	C	D	E
W/O CHAIN	WITH CHAIN					
FLP1148	PAFLPC1148	11	48	52	4	66
FLP1656	PAFLPC1656	16	56	60	4	75



SPRING LINCH PIN

CODE	DIA	TYPE
SLP 85	8.5	A
SLP105	10.5	B
SLP 110	11	C



U-BOLTS (ROUND)

Agriparts Part	Thread Dia	Center Distance	Height	Thread Length	Pipe Size
UBR -140	1/4" -20	1 -1/8"	2"	1"	3/4"
UBR -141	1/4" -20	1 -3/8"	2-3/4"	1 -1/4"	1"
UBR -142	1/4" -20	2"	3-1/2"	1 -3/4"	1 -1/2"
UBR -143	5/16" -18	1 -3/8"	2-1/2"	1"	1"
UBR -144	5/16" -18	1 -3/8"	3-1/16"	2-3/8"	1"
UBR -145	5/16" -18	1 -3/4"	3"	1 -1/2"	1 -1/4"
UBR -146	5/16" -18	1 -3/4"	4-3/16"	2-3/4"	1 -1/4"
UBR -147	5/16" -18	2"	3"	1 -1/2"	1 -1/2"
UBR -148	5/16" -18	2"	3-3/4"	2-1/8"	1 -1/2"
UBR -149	5/16" -18	2-1/2"	3-1/2"	1 -1/2"	2"
UBR -150	5/16" -18	2-1/2"	4-3/16"	2-3/8"	2"
UBR -151	3/8" -16	2-1/2"	3-5/8"	1 -3/4"	2"
UBR -152	3/8" -16	3"	4-1/8"	1 -3/4"	2-1/2"
UBR -153	3/8" -16	3-1/2"	4-5/8"	2"	3"




U-BOLTS (SQUARE)

Agriparts Part	Pin Dia	Thread Lg.	Shank Lg.	Total Lg.
UBS -181	3/8"	2"	3"	1-1/2"
UBS -182	3/8"	2"	5"	3"
UBS -184	3/8"	4"	3"	1-1/2"
UBS -185	3/8"	4"	5"	3"
UBS -187	3/8"	6"	5"	3"
UBS -188	3/8"	6"	7"	3-3/4"




WIRE FORMED WELDED D-RING

Agriparts Part	Wire Dia	A	B
DR -173	1/8"	1"	7/8"
DR -174	1/8"	1-1/8"	7/8"
DR -175	5/32"	1-5/16"	1"
DR -176	5/32"	1-5/8"	1-1/8"
DR -178	5/16"	2"	1-3/4"
DR -179	3/8"	2"	1-7/8"



BUSHINGS



TOP LINK REDUCER BUSHINGS

Agriparts Part No.	Reference No.	Cat.	Outer Dia (A)	Inner Dia (B)	Length	Weight (lbs)
TLRB001	B829	0 - 1	3/4"	5/8"	1-5/8"	0.1
TLRB002	B831	1 - 2	1"	3/4"	1-15/16"	0.2
TLRB003	B8220	1 - 2	1"	3/4"	1-5/8"	0.2
TLRB004	B833	2 - 3	1-1/4"	1"	1-15/16"	0.2

LIFT ARM REDUCER BUSHINGS

Agriparts Part No.	Reference No.	Cat.	Outer Dia (A)	Inner Dia (B)	Length	Weight (lbs)
LARB001	B828	0 - 1	7/8"	5/8"	1-3/8"	0.1
LARB002	B821	1 - 2	1-1/8"	7/8"	1-3/4"	0.2
LARB003	B8221	1 - 2	1-1/8"	7/8"	1-3/8"	0.2
LARB004	B832	2 - 3	1-7/16"	1-1/8"	1-3/4"	0.3
LARB005	B8320	2 - 3	1-7/16"	1-1/8"	3-1/4"	0.5
LARB006	B8312	2 - 3	1-7/16"	1-1/8"	2-1/2"	0.4
LARB007	B8319	2 - 3	1-7/16"	1-1/8"	2-3/4"	0.5


QUICK HITCH ADAPTOR BUSHINGS

Agriparts Part No.	Reference No.	Cat.	Description	Inner Dia (B)	Length	Weight (lbs)
QHAB001		1	Adapter Bushing for Cat.1 Quick Hitch	5/8"	4"	1.5
QHAB002		2	Adapter Bushing for Cat.2 Quick Hitch	1-1/8"	4"	1




DRAWBARS

Agriparts Part No.	Reference No.	Cat.	No. of Holes	Lift Arm Spacing (A)	Hole Dia (B)	Pin Dia (C)	Thickness	Width (E)	Color	Weight (lbs)
DB001	DB418	0	7	20"	5/8"	5/8"	5/8"	2"	Red	6.8
DB002	DB419	0 / 1	7	20"	3/4"	7/8"	1"	2-1/2"	Black	13.5
DB003	DB411	1	11	26"	3/4"	7/8"	1"	2-1/2"	Blue	16.4
DB004	DB421	1	11	26"	3/4"	7/8"	1-1/4"	3"	Black	27
DB005	DB422	2	13	32"	3/4"	1-1/8"	1-1/4"	3"	Blue	33
DB006	DB4212	2	13	32"	3/4"	1-1/8"	1-1/4"	3"	Black	33
DB007	DB431	3	5	38"	1-1/4"	1-1/4"	1-3/4"	3-1/2"	Black	65




ROUND DRAWBARS

CODE	A	B	C	D	E	F	TYPE
DBR01	40	935	67	800	28	12	1
DBR02	45	950	62	825	28	13	1
DBR03	45	950	62	825	36	13	1
DBR04	45	950	62	825	28	13	2
DBR05	45	950	62	825	36	13	2
DBR06	50	935	55	825	28	13	1
DBR07	50	935	67	800	36	13	1
DBR08	55	935	67	800	36	13	1
DBR09	60	935	67	800	36	13	1



COLLECTOR PLATE

CODE	A	B	C	D
Cp001	40	140	4	32
Cp002	45	140	4	32
Cp003	50	140	4	32
Cp004	55	140	4	32
Cp005	60	140	4	32



TRACTOR DRAW BAR HOOK

Agriparts Part No.	Reference No.	Cat.	Working Load Limit (lbs.)	Weight (lbs)
TDBH001	CL490516	For all tractor drawbars upto-15/8" thick; for use with 5/16" to 1/2" chain	9000	6.8



TRAILER RING HITCHES

Agriparts Part No.	Description	Size	Mtrl. Grade
2151	Straight	5"	Mild Steel
2152	Straight	12"	Mild Steel
2153	Straight	16"	Mild Steel
2154	Cranked	12"	Mild Steel
2155	Cranked	16"	Mild Steel
2146	Straight	12"	EN16A
2147	Straight	16"	EN16A
2148	Cranked	12"	EN16A
2149	Cranked	16"	EN16A



TWISTED CLEVIS

Agriparts Part No.	Reference No.	Body Dia	Clevis Opening	Usable Length	Pin Dia	Weight (lbs)
TC001	CL490203	5/8"	7/8"	3"	1/2"	1.5 0
TC002	CL490204	3/4"	1-5/16"	3-1/2"	5/8"	2.5 0
TC003	CL490205	7/8"	1-5/16"	3"	3/4"	3.0 0
TC004	CL490206	7/8"	1-5/16"	3-7/8"	3/4"	3.6 0
TC005	CL490207	15/16"	1-7/16"	4-1/4"	7/8"	4.3 0
TC006	CL490208	1"	2-1/8"	5"	1"	5.8 0



STRAIGHT CLEVIS

Agriparts Part No.	Reference No.	Body Dia	Clevis Opening	Usable Length	Pin Dia	Weight (lbs)
SC001	CL490103	5/8"	7/8"	3-1/4"	1/2"	1.5 0
SC002	CL490104	3/4"	1-5/16"	3-3/4"	5/8"	2.50
SC003	CL490105	7/8"	1-5/16"	3-1/4"	3/4"	3.00
SC004	CL490106	7/8"	1-5/16"	4-1/4"	3/4"	3.60
SC005	CL490107	15/16"	1-7/16"	4-5/8"	7/8"	4.30
SC006	CL490108	1"	2-1/8"	5-5/16"	1"	5.80



T HANDLE CLEVIS PIN

Agriparts Part No.	Reference No.	Pin Dia	Usable Length	Weight (lbs)
THCLP001	CL490611	1/2"	2-1/4"	0.40
THCLP002	CL490621	5/8"	3-1/8"	0.50
THCLP003	CL490631	3/4"	3-1/4"	0.70
THCLP004	CL490641	7/8"	3-3/4"	1.20
THCLP005	CL490651	1"	4-1/4"	1.50



FARM CLEVIS

Agriparts Part No.	Reference No.	Body Dia	Clevis Opening	Usable Length	Pin Dia	Weight (lbs)
FC001	CL490401	1/4"	15/32"	1-1/8"	5/16"	0.1
FC002	CL490402	5/16"	17/32"	1-1/4"	3/8"	0.2
FC003	CL490403	3/8"	23/32"	1-7/16"	7/16"	0.3
FC004	CL490404	7/16"	3/4"	1-11/16"	1/2"	0.5
FC005	CL490405	1/2"	13/16"	1-15/16"	5/8"	0.7
FC006	CL490406	5/8"	1-1/16"	2-1/2"	3/4"	1.5
FC007	CL490407	3/4"	1-1/4"	3"	7/8"	2.2
FC008	CL490408	7/8"	1-7/16"	3-1/4"	1"	3.5
FC009	CL490409	1"	1-11/16"	3-3/4"	1-1/8"	5.2
FC010	CL490410	1-1/8"	1-13/16"	4-1/4"	1-1/4"	7.0
FC011	CL490411	1-1/4"	2"	4-1/2"	1-3/8"	9.5



UTILITY CLEVIS

Agriparts Part No.	Reference No.	Body Dia	Clevis Opening	Usable Length	Pin Dia	Weight (lbs)
TC001	CL490301	1/4"	15/32"	7/8"	5/16"	0.10
TC002	CL490302	5/16"	17/32"	1"	3/8"	0.20
TC003	CL490303	3/8"	21/32"	1-1/4"	7/16"	0.30
TC004	CL490304	7/16"	23/32"	1-1/2"	1/2"	0.40
TC005	CL490305	1/2"	13/16"	1-11/16"	5/8"	0.71
TC006	CL490306	5/8"	1-1/16"	2"	3/4"	1.63



GENERAL PURPOSE CLEVIS

Agriparts Part No.	Reference No.	Body Dia	Clevis Opening	Usable Length	Pin Dia
GPC001	CL490312	3/4"	2-1/2"	6-3/16"	3/4"



SCREW PIN CHAIN SHACKLES

High tensile forged steel.Oversized pin. Hot dipped galvanised finish.


Agriparts Part No.	Reference No.	Body Dia	Pin Dia	Clearance	Opening	W.L.L. (Tons)
CSHD001	66020	1/4"	5/16"	7/8"	7/16"	1/2
CSHD00 2	66021	5/16"	3/8"	1"	9/16"	3/4
CSHD00 3	66022	3/8"	7/16"	1-1/4"	5/8"	1
CSHD00 4	66023	7/16"	1/2"	1-7/16"	11/16"	1-1/2
CSHD00 5	66024	1/2"	5/8"	1-5/8"	3/4"	2



BOLT TYRE ANCHOR SHACKLES

High tensile forged steel.Oversized pin. Hot dipped galvanised finish.


Agriparts Part No.	Reference No.	A (Pin Dia)	B (Clearance)	C	D	S	W.L.L. (Tons)
BTAS001	66900	5/16"	1-1/8"	1/2"	3/4"	1/4"	1/2
BTAS002	66901	3/8"	1-1/4"	1/2"	7/8"	5/16"	3/4
BTAS003	66902	7/16"	1-7/16"	5/8"	1"	3/8"	1
BTAS004	66903	1/2"	1-11/16"	3/4"	1-1/8"	7/16"	1-1/2
BTAS005	66904	5/8"	1-7/8"	3/4"	1-5/16"	1/2"	2
BTAS006	66905	3/4"	2-3/8"	1-1/16"	1-5/8"	5/8"	3-1/4
BTAS007	66906	7/8"	2-3/4"	1-1/4"	2"	3/4"	4-3/4
BTAS008	66907	1"	3-5/16"	1-7/16"	2-1/4"	7/8"	6-1/2
BTAS009	66908	1-1/8"	3-3/4"	1-11/16"	2-11/16"	1"	8-1/2



SHACKLES

Screw Pin Anchor Shackles Heat treated alloy forged steel.Oversized alloy pin.
Hot dipped galvanised finish.


Agriparts Part No.	Reference No.	Body Dia	Pin Dia	Clearance	Opening (Min)	Opening	W.L.L. (Tons)
ASHD001	66000	1/4"	5/16"	1-1/8"	3/4"	1/2"	1/2
ASHD002	66001	5/16"	3/8"	1-1/4"	7/8"	1/2"	3/4
ASHD003	66002	3/8"	7/16"	1-7/16"	1"	5/8"	1
ASHD004	66003	7/16"	1/2"	1-11/16"	1-1/8"	3/4"	1-1/2
ASHD005	66004	1/2"	5/8"	1-7/8"	1-5/16"	3/4"	2
ASHD006	66005	5/8"	3/4"	2-3/8"	1-5/8"	1-1/16"	3-1/4
ASHD007	66006	3/4"	7/8"	2-3/4"	2"	1-1/4"	4-3/4
ASHD008	66007	7/8"	1"	3-5/16"	2-1/4"	1-7/16"	6-1/2
ASHD009	66008	1"	1-1/8"	3-3/4"	2-11/16"	1-11/16"	8-1/2
ASHD010	66059	1-1/8"	1-1/4"	4-1/4"	2-5/8"	1-3/4"	9-1/2
ASHD011	66060	1-1/4"	1-3/8"	4-11/16"	3"	2"	12



COMMERCIAL GRADE ANCHOR SHACKLES

Oversized Pin C1010 Carbon Steel,
Galvanized for general applications.

Agriparts Part No.	Reference No.	A	B	D	E	W	W.L.L. (Tons)
CGAS001	66010	1-1/8"	1/4"	5/16"	3/4"	1/2"	600 LB.
CGAS002	66011	1-7/32"	5/16"	3/8"	13/16"	17/32"	1/2
CGAS003	66012	1-7/16"	3/8"	7/16"	15/16"	1-7/16"	3/4
CGAS004	66013	1-7/8"	1/2"	5/8"	1-5/16"	13/16"	1-1/2
CGAS005	66014	2-3/8"	5/8"	3/4"	1-11/16"	1-1/16"	2-1/4
CGAS006	66017	1-11/16"	7/16"	1/2"	1-5/32"	11/16"	1-1/4



MID LINKS

Forged carbon steel body. Alloy steel pins. Yellow zinc dichromate plated finish.

Agriparts Part No.	Reference No.	Chain	Pin Dia	A	B	C	D
ML101	S490501	1/4" - 5/16"	3/8"	7/16"	2-1/2"	1-5/8"	1-3/16"
ML102	S490502	3/8"	7/16"	1/2"	2-13/16"	1-13/16"	1-3/8"
ML103	S490503	7/16" - 1/2"	9/16"	5/8"	3-5/8"	2-3/16"	1-3/4"




SMART DRAWBARS WITH FRAME

Agriparts Part No.	Reference No.	Drawbar Size	Drawbar Working Length	Ball Dia	Pin Dia	No. of Holes	Finish
SDB-6230		62mm x 30mm	610 mm	50mm	19mm	3	Black
SDB-6325		63mm x 25mm	775 mm	50mm	19mm	9	Black
SDB-7532		75mm x 32mm	932 mm	50mm	19mm & 25mm	9	Black



FRAME ASSEMBLY WITH DRAWBAR

CODE	A	B	C	D	E	F	G	H
FAWD6330-403 AF	570	52	51.5	50	22	21	52	20
FAWD6330-620 AF	730	55	106	51	22	21	60	20
FAWD6330-403 AF26	507	52	51.5	50	22	21	52	20
FAWD6330-620 AF26	730	55	106	51	22	21	60	20
FAWD6330-780AF	890	55	106	71	22	21	60	20




TURN BUCKLES (EYE + HOOK TURN BUCKLES)

Agriparts Part No.	Thread Dia	Length (Min Max)	Buckle Length (A)	Capacity
TB -EH-006	6mm (1/4")	135 -180	103	70
TB -EH-008	8mm (5/16")	148 -210	110	130
TB -EH-010	10mm (3/8")	175 -265	130	200
TB -EH-012	12mm (1/2")	195 -283	140	300
TB -EH-014	14mm (9/16")	225 -340	170	430
TB -EH-016	16mm (5/8")	295 -427	190	540
TB -EH-020	20mm (7/8")	315 -451	220	1200
TB -EH-022	22mm (3/4")	466 -644	240	1700




TURN BUCKLES (2 HOOK TURN BUCKLES)

Agriparts Part	Thread Dia	Length (Min Max)	Buckle Length (A)	Capacity
TB -HH-006	6mm (1/4")	135 -180	103	70
TB -HH-008	8mm (5/16")	148 -210	110	130
TB -HH-010	10mm (3/8")	175 -265	130	200
TB -HH-012	12mm (1/2")	195 -283	140	300
TB -HH-014	14mm (9/16")	225 -340	170	430
TB -HH-016	16mm (5/8")	295 -427	190	540
TB -HH-020	20mm (7/8")	315 -451	220	1200
TB -HH-022	22mm (3/4")	466 -644	240	1700
TB -HH-024	24mm (1")	504 -696	260	2000



TURN BUCKLES (2 EYE TURN BUCKLES)

Agriparts Part No.	Thread Dia	Length (Min - Max)	Buckle Length	Capacity
TB -EE-006	6mm (1/4")	120 -180	103	70
TB -EE-008	8mm (5/16")	148 -210	110	130
TB -EE-010	10mm (3/8")	175 -265	130	200
TB -EE-012	12mm (1/2")	195 -283	140	300
TB -EE-014	14mm (9/16")	225 -340	170	430
TB -EE-016	16mm (5/8")	295 -427	190	540
TB -EE-020	20mm (7/8")	315 -451	220	1200



BALL MOUNTS

1-1/4" Shank Fits 1 -1/4" x 1 -1/4" Class 1 receiver tubes. Powder coat black finish.

Paramount Agriparts	Finish	Class	TW (lb.)	GTW (lb.)	Hole	Drop	Rise	Length
11670	Black	1	200	2,000	3/4"	1-1/4"	5/8"	6-3/4"
11671	Black	1	200	2,000	3/4"	1-1/4"	2-1/8"	9-1/2"
11672	Black	1	200	2,000	3/4"	1-1/4"	3"	9-1/2"

CLASS 1 BALL MOUNTS



Fits 2" receivers. Black powder coated finish.

Paramount Agriparts	Finish	Class	TW (lb.)	GTW (lb.)	Hole	Drop	Rise	Length
11600	Black	3	500	5,000	1"	Straight	Straight	10 -1/2"
11601	Black	4	600	6,000	1"	2"	1-1/4"	8-1/4"
11602	Black	4	600	6,000	1"	4"	2"	8-3/4"
11603	Black	4	600	6,000	1"	6"	5"	10 -1/2"
11611	Chrome	4	600	6,000	1"	2"	3/4"	8"
11612	Chrome	4	600	6,000	1"	3-3/4"	2"	8-3/4"

CLASS 3-4 BALL MOUNTS



Fits 2" receivers. Black powder coated finish.

Paramount Agriparts	Finish	Class	TW (lb.)	GTW (lb.)	Hole	Drop	Rise
11586	Black	4	1,000	10,000	1-1/4"	2"	1"
11587	Black	4	1,000	10,000	1-1/4"	4"	2"
11588	Black	4	1,000	10,000	1-1/4"	6"	5"
11660	Black	4	1,200	12,000	1"	2"	1"
11661	Black	4	1,200	12,000	1"	4"	2"
11662	Black	4	1,200	12,000	1"	6"	5"

CLASS 4 STEEL BALL MOUNTS



Solid one piece forge ball mount. Fits 2" receivers.

Paramount Agriparts	Finish	Class	TW (lb.)	GTW (lb.)	Hole	Drop	Rise
11686	Black	5	1,200	12,000	1-1/4"	2"	3/4"
11687	Black	5	1,200	12,000	1-1/4"	4"	2"
11688	Black	5	1,200	12,000	1-1/4"	6"	5"
11689	Black	5	1,200	12,000	1-1/4"	3"	2"

CLASS 5 FORGED STEEL BALL MOUNTS



BALL MOUNTS KITS

Includes ball mount, trailer ball and pull pin.
Fits 2" receivers.

Paramount Agriparts	Finish	Class	TW (lb.)	GTW (lb.)	Ball	Hole	Drop	Rise
11590	Black	4	500	5,000	1-7/8"	2-1/4"	1-1/4"	8"
11591	Black	4	600	6,000	2"	2-1/4"	1-1/4"	8"
11592	Black	4	600	6,000	2-5/16"	2-1/4"	1-1/4"	8-1/4"
11640	Chrome	4	500	5,000	1-7/8"	2"	1"	8"
11641	Chrome	4	600	6,000	2"	2"	3/4"	8"
11642	Chrome	4	600	6,000	2-5/16"	2-1/4"	3/4"	8"



MULTIPLE BALL MOUNTS-WELDED BALLS

Solid round shank with welded balls. Fits standard 2" square receivers. No need to remove when changing.

Paramount Agriparts	Finish	Class	Ball	TW (lb.)	GTW (lb.)	Length
11648	Black	3-4	1-7/8"	350	3,500	8"
		3-4	2"	600	6,000	8"
		3-4	2-5/16"	1,000	10,000	6-1/2"



SQUARE SHANK REVERSIBLE

Solid welded balls. Fits standard 2" receiver.

Paramount Agriparts	Finish	Class	Ball	TW (lb.)	GTW (lb.)	Drop	Rise	Length
11604	Black	3-4	1-7/8" 2"	350 600	3,500 6,000	Straight	Straight	7-1/4"
11605	Black	3-4	2" 2-5/16"	600 1000	6,000 10,000	Straight	Straight	7-1/4"
11644		3	1-7/8" 2"	350 600	3,500 6,000	3-1/4"	2"	10 -3/7"
11645		3	2" 2-5/16"	600 1000	6,000 10,000	3-1/4"	2"	10 -1/2"



MULTIPLE BALL MOUNTS-WELDED BALLS

Square Shank-Triple (Solid shanks with welded balls and tow hook). Fits 2" Receiver.

Paramount Agriparts	Finish	Class	Ball	TW (lb.)	GTW (lb.)	Hole	Length	Description
11606	Black	3-4	1-7/8"	350	3,500	5/8"	8"	With tow hook
		3-4	2"	600	6,000	5/8"	8"	
		3-4	2-5/16"	1000	10,000	5/8"	6-1/2"	
11607	Black	3-4	1-7/8"	350	3,500	5/8"	8-1/4"	With Balls
		3-4	2"	600	6,000	5/8"	8"	
		3-4	2-5/16"	1000	10,000	5/8"	7"	



CLEVIS BALL MOUNT

Paramount Agriparts	Finish	TW (lb.)	GTW (lb.)	Tube	Hole	Length
11579	Black	600	6,000	Straight	1"	10 -1/2"



ADJUSTABLE BALL MOUNTS

Paramount Agriparts	Finish	Class	Ball Dia.	TW (lb.)	GTW (lb.)	Type
11650	Black	3-4	1-7/8" 2" 2-5/16"	600 1,000 1,000	6,000 10,000 10,000	Triple Ball
11651	Black	3-4	1-7/8" 2" 2-5/16" Hook	600 1,000 1,000 750	6,000 10,000 10,000 7,500	Triple Ball With Hook



TRAILER HITCH BALLS

Internal Thread

Solid Steel. Bright chrome plated finish.
Meets or exceeds VESC V5 safety specifications.

Agriparts Part No.	Ball Diameter	Shank Diameter	Shank Length	Gross Load Rating
.11148	7/8"	3/4"	1-3/4"	2,000 lbs
.11149	2"	3/4"	1-3/4"	3500 lbs



External Thread

Agriparts Part No.	Ball Diameter	Shank Diameter	Shank Length	Gross Load Rating
11147	1-7/8"	1"	2"	3,500 lb.
11151	1-7/8"	3/4"	1-1/2"	2,000 lb.
11152	2"	3/4"	1-1/2"	3,500 lb.
11153	2"	1"	2"	5,000 lb.
11154	2-5/16"	1"	2"	5,000 lb.
11155	2-5/16"	1-1/4"	2"	10,000 lb.
11155H	2-5/16"	1-1/4"	2"	14,000 lb.
11155X	2-5/16"	1-1/4"	2"	12,000 lb.
11258	2"	1-1/4"	2-1/4"	8,000 lb.



Long Shank External Thread

Agriparts Part No.	Ball Diameter	Shank Diameter	Shank Length	Gross Load Rating
11250	1-7/8"	1"	3"	2,000 lb.
11251	1-7/8"	3/4"	3-1/4"	2,000 lb.
11252	2"	3/4"	3-1/4"	3,500 lb.
11257	2"	1"	3-1/4"	5,000 lb.
11262	2"	1"	2-1/4"	12,000 lb.
11263	2-5/16"	1"	3"	6,000 lb.



Long Shank External Thread

Agriparts Part No.	Ball Diameter	Shank Diameter	Rise Height	Gross Load Rating
11253	2"	1"	1"	3,500 lb.
11254	2"	1"	2"	3,500 lb.
11255	2-5/16"	1-1/4"	1"	7,000 lb.
11256	2-5/16"	1-1/4"	2"	5,000 lb.



WEATHER CAPS

Part No.	FITS PIPE SIZES
WC00201	1-1/2" TO 1-11/16"
WC00202	1-3/4" TO 1-15/16"
WC00203	2" TO 2-3/16"
WC00204	2-1/4" TO 2-7/16"
WC00205	2-1/2" TO 2-11/16"
WC00206	2-3/4" TO 2-15/16"
WC00207	3" TO 3-3/16"
WC00208	3-1/2" TO 3-11/16"
WC00209	4" TO 4-3/16"
WC00210	4-1/2" TO 4-11/16"
WC00211	5" TO 5-1/4"



TRAILER HITCH BALLS

Extra Lift External Thread

Part No.	Ball Diameter (A)	Thread (A)	Rise Height ©	Gross Load Rating
TBEL0116	2"	1"	1"	3500lb.
TBEL0117	2"	1"	2"	3500lb.
TBEL0118	2-5/16"	1-1/4"	1"	7000lb.
TBEL0119	2-5/16"	1-1/4"	2"	5000lb.



External Thread Heavy Duty

Part No.	Ball Diameter (A)	Thread (A)	Rise Height ©	Gross Load Rating
TBBHD0120	2-5/16"	1-1/4"	Standard	30,000lb.
TBBHD0121	2-5/16"	1-1/4"	1"	30,000lb.
TBBHD0122	2-5/16"	1-1/4"	2"	30,000lb.



Long Shank Hitch Balls With Chain

Part No.	A	B	C	D	Discription
FBLS0101CL	1.96"	7-1/2"	3-1/2"	7/8"	Assembled With Chain Linch Pin
FBLS0102CL	1.96"	7-1/2"	3-1/2"	1"	Assembled With Chain Linch Pin
FBLS0102CL	1.96"	7-1/2"	3-1/2"	1-1/4"	Assembled With Chain Linch Pin



TOP HITCH BALLS

For Europe



Agriparts Part : THB3588
50mm Ball & Pin Coupling Standard 2 Bolt Fixing



Agriparts Part : THB 002
Tow Hitch Ball 50mm x 89mm x 16.50mm x 44.50mm



Agriparts Part : THB3600
Tow Hitch Ball 50mm x 89mm x 16.50mm x 55mm



Agriparts Part : THB001
Tow Hitch Ball 50mm x 89mm x 16.50mm



Agriparts Part : THB3584
Tow Hitch Flange Ball and Bracket 3500 kg



Agriparts Part : THB003
Tow Hitch Ball 50mm x 89mm x 17mm x 22mm

COMBINATION PINTLE HOOKS

Agriparts Part No.	Capacity	Ball size	TW (lb.)	GTW (lb.)	Replacement Ball
11615	8 Tons	1-7/8"	3,000	16,000	11631
11616	8 Tons	2"	3,000	16,000	11632
11617	8 Tons	2-5/16"	3,000	16,000	11633



D-RINGS

Forged D-Ring with Weld-on-Bracket

Agriparts Part No.	Wire Diameter	A	B	W.L.L.
66185	1/2"	2-1/4"	2-1/2"	12,000 lb.
66186	5/8"	3"	3"	18,000 lb.
66187	3/4"	3"	3"	26,500 lb.
66188	1"	3"	4"	47,000 lb.
66189	1" Bend	3"	4"	47,000 lb.



PINTLE HOOKS

All bolts are alloy with heat treatment. 4-1/4" x 3-1/4" base plate.

Agriparts Part No.	Capacity	TW (lb.)	GTW (lb.)
11618	5 Tons	2,000	10,000
11620	10 Tons	4,000	20,000
11619	15 Tons	6,000	30,000
11621	20 Tons	9,000	40,000
11622	30 Tons	14,000	60,000



PINTLE MOUNTS

For 2" receivers. Converts receivers for use with Pintle type trailers quickly and easily. Provides mounting for both ball and Pintle hooks. Black powder coat finish.

Agriparts Part No.	Description	TW (lb.)	GTW (lb.)	# of Holes	Position (Pairs)
11610	7-1/2x5"	600	10,000	8	4 th
11630	11 -1/4"x12 -1/2"	600	10,000	14	7 th



RATCHET LOAD BINDER

Agriparts Part No.	Chain Size (In.)		Take Up (In.)	Handle Length (In.)	Lbs.	Working Load Limit	
	G70	G43				Lbs.	Kgs.
RLB-001	1/4	5/16	5	6.75	4.5	3900	1769
RLB-002	5/16	3/8	6.50	13.92	11	5400	2449
RLB-003	3/8	1/2	6.50	13.92	13	9200	4173
RLB-004	1/2	5/8	6.50	13.92	16	13000	5897

Agriparts Part No.	Take Up (In.)	Handle Length		Working Load Limit	
		(In.)	Lbs.	Lbs.	Kgs.
MLB-001	1.85	9.05	1.66	250	113



LOAD BINDERS

Agriparts Part No.	Chain Size (In.)		Take Up (In.)	Handle Length (In.)	Lbs.	Working Load Limit	
	G70	G43				Lbs.	Kgs.
LLB - 120	1/4	5/16	3"	11"	3.25	2600	1179
LLB - 220	5/16	3/8	5"	15.50"	8	5400	2449
LLB - 320	3/8	1/2	4.5"	17.50"	12.25	9200	4173
LLB - 420	1/2	5/8	5"	21	19.50	13000	5896



Lever Type Load Binder



WHEEL SPINNERS

WS-001 (Red)
 WS-002 (Black)
 WS-003 (Green)
 WS-004 (Yellow)
 WS-005 (Aluminium)




STROKE CONTROL

Agriparts Part No.	Reference No.	FITS SHAFT DIAMETER	WIDTH
SC -003	55003	1-1/8" - 1-1/4"	3/4"
SC -004	55004	1-1/8" - 1-1/4"	1"
SC -005	55005	1-1/8" - 1-1/4"	1-1/4"
SC -006	55006	1-1/8" - 1-1/4"	1-1/2"
SC -007	55007	1-3/8" - 1-1/2"	3/4"
SC -008	55008	1-3/8" - 1-1/2"	1"
SC -009	55009	1-3/8" - 1-1/2"	1-1/4"
SC -010	55010	1-3/8" - 1-1/2"	1-1/2"
SC -011	55011	2"	1"
SC -012	55012	2"	1-1/2"
SC -013	55013	2"	2"
SC -014	55014	2"	4-1/4"



CYLINDER STROKE CONTROL

Agriparts Part No.	Reference No.	FITS SHAFT DIAMETER	WIDTH
SCS -000	55000	1-1/8" - 1-1/4"	3/4", 1", 1-1/4, 1-1/2"
SCS -001	55001	1-3/8" - 1-1/2"	3/4", 1", 1-1/4, 1-1/2"
SCS -002	55002	2"	1", 1-1/2", 2", 4-1/4"
SCS -003	55003	1-1/8" - 1-1/2"	Finger Tabs
SCS -004	55004	1-3/4" - 2"	Finger Tabs



BALE SPEARE

BS001

HD BALE SPEAR 1.75"X49-3/4"

CAPACITY - 3500LBS.



TOP WIND WITHOUT BASE

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
AFJ204	5000lb	3000 lb.	15"	7-1/2"	18"	22-1/2"	33"
AFJ205	7000lb	5000 lb.	15"	10"	24"	25"	39"



TOP WIND

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
FWJ202	3500lb	2000 lb.	10"	11-1/4"	16"	21-1/4"	26"
FWJ203	3500lb	2000 lb.	15"	15-1/4"	21-3/4"	30-1/4"	26-3/4"



SIDE WIND DOUBLE PVC WHEEL

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
SWDW201	1500lb	900 lb.	10"	15"	25"	25"	35"



SIDE WIND SINGLE PVC WHEEL

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
SWJ205	1000lb	500 lb.	10"	13"	23"	23"	33"



SQUARE TUBE IMPLEMENT JACK SIDE WIND

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
				A	B	A	B
TWS0105	2,000 lb.	1,200 lb.	10"	11-3/4"	19-1/2"	21-1/2"	28-1/2"
TWS0106	2,000lb.	1,200 lb.	15"	16"	24-1/2"	26-3/4"	38-1/2'
TWS0107	2,000lb.	3,000 lb.	10"	11-3/4"	19-1/2"	22-3/4"	29"1/2"
TWS0108	5,000lb.	3,000 lb.	15"	15-3/4"	23-1/2"	31"	39-1/2"



SQUARE TUBE IMPLEMENT JACK TOP WIND

Part No.	Support Lift	Lift Capacity	Lift	Retracted		Extended	
				A	B	A	B
TWSJ0101	2,000 lb.	1,200 lb.	10"	11-1/2"	18-1/2"	21-1/2"	28-1/2"
TWSJ0102	2,000lb.	1,200 lb.	15"	11-3/4"	23-1/2"3	26-3/4"	38-1/2'
TWSJ0103	2,000lb.	3,000 lb.	10"	12-1/2"	19"	22-1/2"	29"
TWSJ0104	5,000lb.	3,000 lb.	15"	15-3/4"	23-1/2"	31"	38-1/2"



SQUARE TUBE SIDE WIND TRAILOR JACK

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
				A		A	
STJ0110	3,500 lb.	2,000 lb.	14"	24"		37-1/2"	



SQUARE TUBE SIDE TOP WIND TRAILOR JACK

Part No.	Support Capacity	Lift Capacity	Lift	Retracted		Extended	
				A		A	
STJ109	3,500 lb.	2,000 lb.	14"	21"		37-1/2"	



PACKAGING



O-RING KIT
ORK-001R (RED)
ORK 002G (GREEN)



HAIR PIN ASSORTMENT
HPA-001R



SPLIT PIN ASSORTMENT
5PA-001



ROLL PIN ASSORTMENT
EBA-001



LINCH PIN ASSORTMENT
LPA-001



CLEVIS PINS ASSORTMENT
CPA-001

AGRIPARTS PACKAGING

DESCRIPTION	QTY.
QUICK LINK ALL SIZES	4 PCS.
S.A.E. GREASE FITTING ALL SIZES	40 PCS.
METRIC GREASE FITTING ALL SIZES	50 PCS.
S.A.E. O- RING ALL SIZES	95 PCS
HAIR PIN ALL SIZES	28 PCS
COTTER PINS (SMALL SIZES)	215 PCS
COTTER PINS (LARGE SIZES)	40 PCS
SPRING PINS ALL SIZES	62 PCS
CLEVIS PINS ALL SIZES	23 PCS
UNIVERSAL CLEVIS PINS ALL SIZES	11 PCS
NYLOCK NUT ALL SIZES	40 PCS
STANDARD PLUG IN FUSES	11 PCS
NYLOCK NUT ALL SIZES	40 PCS



AGRIPARTS PACKAGING

DESCRIPTION	QTY.
LINCH PINS ALL SIZES	4 PCS.
PTO PINS ALL SIZES	2 PCS.
CLEVIS PINS ALL SIZES	4 PCS.
UNIVERSAL CLEVIS PINS ALL SIZES	4 PCS
BUSHES ALL SIZES	2 PCS
HAIR PINS ALL SIZES	4 PCS
HITCH BALLS ALL SIZES	1 PCS
STROKE CONTROL ALL SIZES	4 PCS

